



GMT

**Professional Car Wrap
Manufacturer**

YUNLIN ADHESIVE MATERIALS CO.,LTD

COOPERATIVE PARTNERS AROUND THE GLOBE



- ✓ One of the top 10 enterprises in domestic industry.
- ✓ 53000m² area, over 300 experienced workers and over 10 production lines.
- ✓ ISO QC certification, SGS certification and CEP environmental certification.
- ✓ Offering a host of design, print & commercial branding services. (OEM/ODM is accepted)
- ✓ Scientific GMP quality management system and good after-sales service



SCRUPULOUS TEST WITH SGS/ISO APPROVAL



CHOOSE US



OUR TEAM



OFFICE



PRODUCTION LINE



CERTIFICATE



TECHNICAL PATENT



- Committed to Premium Vinyl Wrap Applications
- Sincere After-sales Service
- Green & Sustainable Innovation Capability

Quality decides the future!!!

GMT Digital Printable Vinyl Film

- Air-egress, repositionability and slideability
- Clean removability after long-term lifespan, no residual glue
- Customized printable wrapping graphics and colors that pop
- Ease of installation and removal to afford brands the opportunity to continually make a creative statement
- Eco-solvent and latex inks compatible
- Substitute to MPI 1105 Series, highly cost effective



Model No.	Economic 2060A	Classic 2061A	Luxury 2062
Film Type	Monomeric	Polymeric	Cast
Surface	Glossy White	Glossy White	Glossy White
Glue	Removable White Press Sensitive Low Tack Acrylic Glue	Removable White Press Sensitive Low Tack Acrylic Glue	Removable White Press Sensitive Low Tack Acrylic Glue
Film Thickness	80±10 micron	80±10 micron	50±10 micron
Glue Thickness	20±5 micron	20±5 micron	20±5 micron
Liner	160g Double PE Coated Bubble Free Design	160g Double PE Coated Bubble Free Design	160g Double PE Coated Bubble Free Design
Size	1.52*58m	1.52*58m	1.52*58m
Warranty	1 Year	2 Years	3 Years

- GMT Digitally Printable Vehicle Film series is a premium high-gloss cast film with superior 3D conformability, stunning printability and maximum durability for complex surfaces with curves and recesses. With a lower initial tack, GMT Digitally Printable Vehicle Film ensures the same application speed and convenience as Cactus Car Protection Wrapping Film. Businesses of all sizes enjoy the vibrant color pop and high quality output across a wide-range of applications including fleet branding and signage to amplify their brand messaging. To protect GMT Digitally Printable Vehicle Film series and enhance both colors and durability, we recommend using it in combination with GMT Lamination film.
- Glory lamination film is a kind of transparent film as printed film protection and surface treatment(glossy/matte), which can effectively solve the defects of bubbles, white spots and fog etc when adapted on the GMT Digitally Printable Film.

Notice:

- Storage Conditions: Temperature($23\pm 5^{\circ}\text{C}$), Humidity($50\pm 20\%$).
- Avoid humidity and direct sunlight, heavy external pressure when moving the product. After unpacking the product, seal it in dark and weak light environment.



- Advantages of polymeric/cast films:
- ☆ Durability of polymeric/cast films is generally much better than that of other vinyl films due to the manufacturing method and the raw materials used.
- ☆ Polymeric/Cast films can be made very thin which produces a conformable product that allows application over substrates with rivets, corrugations, and complex curves.
- ☆ Polymeric/Cast films also maintain their color and other properties better than other vinyl films. This results in better performance of eco-solvent and UV absorbers.
- ☆ The manufacturing process of cast films makes it easy to run small productions of special colors to match. It is relatively easy to change color during production making color matching in small batches possible.
- ☆ Custom colors and manuscripts are accepted

GMT Car Wrap Film



Film Thickness : 160 micron

Liner : Double coated PE/PET bubble free design

Size : 1.52*18m

Glue : Removable White Press Sensitive Low Tack Arcylic Glue

- 2-3 years warranty, promised no glue residue
- More than 100 choices from glossy, matt, crystal, to metal...
- Premium high-gloss for complex surfaces with curves and recesses. Easy to wrap with bubble free design
- Highly cost effective than spraying



GMT Car Paint Protection Film

- High scratch resistance with "self-healing" performance
- Preserves appearance while helping retain resale value
- Enhances vehicle look with high gloss finish
- Long term durability and yellowing resistance
- Fast and easy to install with excellent conformability around curves and recesses
- Low initial tack for wet application; easy to trim



Thickness	6.5mil	7.5mil	6.5mil	7.5mil
Coating Performance	Oxidation Resistance Temperature Fluctuation Resistance Anti-fouling Anti-small scratching Gloss increasing Heat Repairing ★★★	Oxidation Resistance Temperature Fluctuation Resistance Anti-fouling Anti-small scratching Gloss increasing Heat Repairing ★★★	Oxidation Resistance Temperature Fluctuation Resistance Anti-fouling Anti-small scratching Gloss increasing Self Repairing ★★★★★	Oxidation Resistance Temperature Fluctuation Resistance Anti-fouling Anti-small scratching Gloss increasing Self Repairing ★★★★★
Size	1.52*15m			
Film Type	Classic TPU Film		Luxury TPU Film	
Glue Type	Ashland Removable Clear Press Sensitive Glue		American Removable Clear Press Sensitive Glue	
Liner	50micron PET Liner			
Warranty	3 Years		5 Years	

GMT Lamination Film

- Thickened glue, effectively eliminate fog, save time
- Protect the pattern, waterproof and scratch resistant.
- High transparency, no fading, anti-yellowing
- Strong adhesion, not easy to fall off
- Strong reduction performance and good shrinkage resistance.
- Glossy film: increase the brightness of the picture;
- Matte film: also known as fog surface, has a very delicate hazy feeling, making the matte more elegant



Model No.	Economic 1303/1310	Classic 1303C/1305/1303A	Luxury 1209/1209A
Surface	Glossy/Matte Transparent	Glossy/Matte High Transparent	Glossy Super Transparent Optical Grade
Protection Layer	-	With/without 30micron PE Protection Layer	With/without 30micron PE Protection Layer
Thickness (Film & Glue)	85±5 micron	85±5 micron	90±5micron
Liner	90gsm Grey Grid Paper	50 micron PET	50 micron PET
Coating	-	-	Oxidation Resistance Temperature Fluctuation Resistance
Size	1.52*58m	1.52*58m	1.52*58m
Warranty	1 Year	2 Years	3 Years

YunLin Adhesive Materials Co., Ltd

Office 101-103, No. 72, QiaoLe New Village, South Shatai Road, Guangzhou, Guangdong, China

TikTok Link : [tiktok.com/@gmt.carwrap](https://www.tiktok.com/@gmt.carwrap)

Facebook personal Link :

<https://www.facebook.com/profile.php?id=100080239960102>

Facebook public link :

<https://www.facebook.com/GMT-CarWrap-102078152488782/>

Ins Link : <https://www.instagram.com/gmtcarwrap/>

YouTube Link : <https://m.youtube.com/channel/UCJ-zClSrk-gclcTzqTSXLJQ>

Calvin Zeng,

Foreign Trade Department,

Phone/WhatsApp: +86-19867585033 WeChat: 19867585033

Mail: calvinzeng716@gmail.com

Website: www.digitalcarwrap.com